
ABLPACK









Food and beverage industry: Airline catering, fast food delivery, frozen cooked food, etc.

Baking industry: frozen dough, frozen cakes, moon cakes, western desert, flaky pastry, jam and honev.

Food industry: top grade tonic, normal temperature food, meat, fish, seafood, flavors, hot pot sauce, tea, pet food.

Electronic industry: sensor, electronic component, precision parts.

Cosmetics industry: mask, pearl powder

Commodity industry: aromatherapy candle, aromatherapy.

Other products require strict sealing.

The feature

- High-end aluminum foil sealing containers blend the advantages and technology of same type products in domestic and overseas. Beautiful, delicate and high-grade, easy to tear, it can be heated in microwave oven and oven directly, is opened then eat food, which meets fast speed life in modern city.
- The container is safe and healthy, no oxidation, good sealing, especially suitable for packaging soup. Aluminum foil has strong bacteria barrier property and can be cooked under hightemperature effectively to extend the shelf life of products, and escort for your health.
- The thickness of high end container is 1-1.5 times thicker than ordinary aluminum foil containers.
 Transport conveniently and won't change their shape easily.
- The capacity is from 15-3100ml, having many styles, and can do customized size, color and logo, meet the different need of customers.
- The container can be recycled, saving the energy and protecting environment!





High quality airtight sealing smooth wall colored aluminum foil food container matches with the national standard of food container, which is the mainstream selection direction in the











Round Series


AP015B	Round
-	52 mm
	43 mm
· (1)·	11 mm
	15 ml
•	√ Lid
AP035	Round












50 ml

√ Lid





Round Series





Round Series









Food grade

Pure aluminum foil material with epoxy resin lacquer, no harm, can touch food directly.



High Barrier

Aluminum foil has high barrier property, and it can keep fresh and extend the shelf life of food.



Oven able

High temperature resistant, torch can fire food directly, color won't fade.



Material lightsome

Aluminum foil is light and has heat stability



Microwave able

It can be heated twice quickly.



Easy to clean

Although deposable, colored aluminum foil container can be cleaned and reused



Freeze able

Low temperate resistance, it can be frozen and refrigerated.



Environmental protection

Aluminum foil is very malleable and easy to be deformed. It can be recycled to save resources.





AP100A Square

90x90 mm 73x73 mm



25 mm



100 ml



√ Lid

AP150C Square



90x90 mm 70x70 mm



35 mm 150 ml



√ Lid



AP220



112x112 mm 90x90 mm



30 mm

Square



220 ml



AP300 Square



112x112 mm 90x90 mm



42 mm



300 ml



√ Lid





AP200 Rectanglar

165x65 mm 145x65 mm

30 mm

200 ml

√ Lid

AP450 Rectanglar

161x102 mm 141x91 mm 40 mm

450 ml

√ Lid

147x90 mm

620 ml

√ Lid

AP320A Rectanglar

161x112 mm 141x91 mm

30 mm 320 ml

√ Lid



AP620 Rectanglar









Rectanglar Series





AP330 Hexagon

134x128mm



112x105 mm



37 mm 330 ml



√ Lid

AP400 Hexagon



134x128 mm 112x105 mm



46 mm



400 ml



√ Lid





Structure, working principle and advantages

Structure: the sealing machine consists of rack, cylinder or motor, and deceleration or speed governor devices, inside sealing mould and outside device and electronic inductive control system.

Working principle: after turning on the power, it begins to work. The electric heating elements heat the upper mould after getting the power, and get the temperature required through the temperature control system, and get the pressure of mold that needed through the oil-water separator or limit switch. Adjust the sealing time by Time Relay. Guide Rails micro move to realize automatic sealing.

When an aluminum foil cup is put into the down mould, pushing it to the appropriate location, the inductive switch begins to work. Upper heat mould does the sealing job automatically. When reaching the time scheduled by relay time, one time sealing is completed, mould returns automatically.

Advantages: operating simply, made from medical class steel, low failure rate, high sealing efficiency, easy maintenance, low prices and wide application, etc.

Every part and product come from mature technology parameters, long-term experience accumulation, strict quality inspection process and testing standards.







Pneumatic Series

AP025	Pneumatic	type
Length		58cm
Width		32cm
Height		64cm
Applicable	models	AP015B \ AP025
Voltage		220V
Sealing ten	nperature	220-250 ℃
Sealing tim	ie	0.5-2.0S







AP050D Pneumatic	type
Length	58cm
Width	32cm
Height	64cm
Applicable models	AP035 \ AP050B \ AP050D
Voltage	220V
Sealing temperature	220-250 ℃
Sealing time	0.5-2.0S









AP125A Electric ty	тре
Length	58cm
Width	32cm
Height	64cm
Applicable models	AP080 \ AP100E \ AP100G \ AP125A \ AP125B \ AP125C \ AP125D \ AP150B
Voltage	220V
Sealing temperature	220-250 ℃
Sealing time	0.5-2.0S







AP150C Electric type	
Length	58cm
Width	32cm
Height	64cm
Applicable models	AP100A \ AP150C
Voltage	220V
Sealing temperature	220-250 ℃
Sealing time	0.5-2.0S









AP200 Electric type	9
Length	58cm
Width	32cm
Height	64cm
Applicable models	AP200
Voltage	220V
Sealing temperature	220-250 ℃
Sealing time	0.5-2.0S







AP215	Electric type	
Length		58cm
Width		32cm
Height		64cm
Applicable	models	AP215
Voltage		220V
Sealing ten	nperature	220-250℃
Sealing tim	e	0.5-2.0S





AP300	Electric type	
Length		58cm
Width		32cm
Height		64cm
Applicable	models	AP220 \ AP300
Voltage		220V
Sealing tem	perature	220-250 ℃
Sealing time	е	0.5-2.0S







AP400 Elect	ric type
Length	58cm
Width	32cm
Height	64cm
Applicable mode	ls AP330 \ AP400
Voltage	220V
Sealing temperat	ure 220-250℃
Sealing time	0.5-2.0\$














AP450	Electric type	
Length		58cm
Width		32cm
Height		64cm
Applicable i	models	AP320 \ AP450
Voltage		220V
Sealing tem	perature	220-250°C
Sealing time	9	0.5-2.0S







AP620	Electric type	
Length		58cm
Width		32cm
Height		64cm
Applicable	models	AP620 \AP1035
Voltage		220V
Sealing tem	nperature	220-250 ℃
Sealing tim	е	0.5-2.0S










Manual Series

AP300	Manual type	
Length		33cm
Width		33cm
Height		46cm
Applicable	models	AP220 \ AP300
Voltage		220V
Sealing tem	perature	220-260 ℃
Sealing time		0.5-2.0\$







AP400	Manual type				
Length		33cm			
Width		33cm			
Height		46cm			
Applicable	e models	AP330 \ AP400			
Voltage		220V			
Sealing ter	mperature	220-260 ℃			
Sealing tin	ne	0.5-2.0S			







Manual Series



AP450 Manual type				
Length	33cm			
Width	33cm			
Height	46cm			
Applicable models	AP320 \ AP450			
Voltage	220V			
Sealing temperature	220-260 ℃			
Sealing time	0.5-2.0S			







Manual type				
	33cm			
	33cm			
	46cm			
models	AP620 \ AP1035			
	220V			
perature	220-260 ℃			
9	0.5-2.0S			
	models			








Takes 8 months to develop,

Costs 3 generational engineering model machine, From moulding to CNC processing precisely after 8 times, From um grade of polishing craftwork to 23 technicians carve and grind carefully like treating an artwork. We produce a machine just like making a cell phone, so our ABLPACK ° products be presented perfectly to our clients every time.













No.	 Picture	Capacity	Top Out	Top In	Base	Height	Pcs / Box	With Lids Picture
AP015B (Gold)		15ml	52mm	45mm	43mm	11mm	5000 pcs / Box	
AP025 (Gold)		25ml	52mm	45mm	40mm	20mm	5000 pcs / Box	
AP035 (Gold)		35ml	63mm	55mm	52mm	17mm	2000 pcs / Box	
AP050A (Gold)		50ml	70mm	60mm	54mm	25mm	2000 pcs / Box	
AP050B (Gold)		50ml	64mm	55mm	48mm	27mm	2000 pcs / Box	
AP050D (Gold)		50ml	64mm	55mm	50mm	26mm	2000 pcs / Box	•••
AP080 (Gold)		80ml	85mm	75mm	70mm	22mm	2000 pcs / Box	
AP100E (Gold)		100ml	85mm	74mm	68mm	28mm	2000 pcs / Box	
AP100G (Gold)		100ml	85mm	75mm	66mm	28mm	2000 pcs / Box	980
AP125A (Gold)		125ml	85mm	75mm	66mm	36mm	2000 pcs / Box	989
AP125B (Gold)		125ml	85mm	75mm	66mm	36mm	2000 pcs / Box	
AP150A (Gold)		150ml	93mm	84mm	75mm	33mm	2000 pcs / Box	
AP150B (Gold)		150ml	85mm	75mm	66mm	43mm	2000 pcs / Box	
AP215 (Gold)		215ml	118mm	108mm	98mm	30mm	1000 pcs / Box	
AP235 (Gold)		235ml	110mm	99mm	88mm	40mm	2000 pcs / Box	
AP420 (Gold)		420ml	142mm	127mm	110mm	43mm	600 pcs / Box	
AP445 (Gold)		445ml	122mm	107mm	90mm	60mm	600 pcs / Box	
AP630 (Gold)		630ml	142mm	127mm	110mm	60mm	1000 pcs / Box	










Lid

No.	 Picture	Capacity	Top Out	Top In	Base	Height	Pcs / Box	With Lids Picture
AP1130 (Gold)		1130ml	180mm	162mm	146mm	60mm	800 pcs / Box	
AP3100 (Gold)		3100ml	250mm	232mm	207mm	83mm	200 pcs / Box	
AP100A (Gold)		100ml	90x90mm	79x79mm	73x73mm	25mm	2000 pcs / Box	ATMINIA MINISTRA
AP150C (Gold)		150ml	90x90mm	80x80mm	70x70mm	35mm	2000 pcs / Box	
AP220 (Gold)		220ml	112x112mm	100x100mm	90x90mm	30mm	1000 pcs / Box	THE PARTY OF THE P
AP300 (Gold)		300ml	112x112mm	100x100mm	90x90mm	42mm	1000 pcs / Box	
AP200 (Gold)		200ml	165x65mm	154x55mm	145x45mm	30mm	1000 pcs / Box	Elitaristica (management)
AP320A (Gold)	and and	320ml	161x112mm	148x99mm	141x91mm	33mm	1000 pcs / Box	
AP450 (Gold)		450ml	161x112mm	148x99mm	141x91mm	40mm	1000 pcs / Box	annument & Summer &
AP620 (Gold)		620ml	188x128mm	172x113mm	147x90mm	45mm	1000 pcs / Box	
AP1035 (Gold)		1035ml	188x128mm	172x113mm	158x98mm	60mm	1000 pcs / Box	
AP1050 (Gold)		1050ml	219x148mm	200x130mm	193x123mm	60mm	600 pcs / Box	
AP1200 (Gold)		1200ml	220x168mm	197x145mm	185x135mm	47mm	600 pcs / Box	5
AP2080 (Gold)		2080ml	298x192mm	240x74mm	258x158mm	52mm	400 pcs / Box	
AP850B (Gold)		850ml	226x117mm	210x160mm	194x140mm	45mm	600 pcs / Box	
AP330 (Gold)		330ml	134x128mm	121x114mm	112x105mm	30mm	1000 pcs / Box	
AP400 (Gold)		400ml	134x128mm	121x114mm	112x105mm	46mm	1000 pcs / Box	The same of





Made in Faith · Global Sharing

Shanghai ABL Baking Pack Co., Ltd. is a professinal high-end aluminum foil packaging manufacturer and professional service provider in the world. We have already cooperated with a number of global well known bakery brands to reach worldwide business cooperation, and we are regarded as the leading brand of high-end aluminum foil baking packaging.

Our company introduces a full set of advanced German technology of design and manufactory to meet global customers' customized demand and to guarantee international quality.

At the same time, through the industry layout and strategy setting, we have become one of the largest production bases and exporters of colorful aluminum foil baking package in China. With advanced automatic production lines in the world, we are able to increase the production capacity to provide more efficient and professional service to our customers.







As the high-end aluminum foil baking packaging industry leader, we believe in the supremacy of corporate reputation, bring a full range of services for customers, from harmless and pollution-free manufacturing process, the using of renewable materials for environmental protection, to the strict supervision of food safety level, so up to now we one by one achieved the safety certificates of aluminum food packaging materials, and entitled with USA FDA certificate, EU SGS certificate ISO9001 certificate and so on...

With the concept of integrity and win-win gratitude, we look forward to cooperating with you!











Made in Faith · Global Sharing







ABLPACK® | bakingpak®

Shanghai ABL Baking Pack Co., Ltd.

No.1 Meijiabang Road, Songjiang District, Shanghai, 201600, China

Tel: 021-5789 1777 6627 0777 6272 7778 6685 7778 6565 7778 Fax: 021-5789 1717 info@ablpack.com www.ablpack.com www.bakingpak.com







